

(JA/121 )

**Email Reply from Paul Hanson Re: Cladding**

## Tina Donoghue

---

**From:** Hanson, Paul: CP-Plan: RBKC  
**Sent:** 14 June 2017 13:23  
**To:** Kuchar, Beverley: CP-Plan: RBKC  
**Cc:** Allen, John: CP-Plan: RBKC  
**Subject:** Re: Cladding

Hi Beverly,

I just tried to ring you. Approved doc B vol 2 section B4 covers external enclosures. Item 12.5 - 12.9 Page 93 - 95 appears to cover external enclosures. This is not the only guidance and it depends on what guidance was used on the job. But this is the usual standard.

Link to doc

[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/441669/BR\\_PDF\\_AD\\_B2\\_2013.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/441669/BR_PDF_AD_B2_2013.pdf)

Approved Document B (Fire safety) – Volume 2 - Buildings other than dwellinghouses (2006 Edition incorporating the 2013 and 2013 amendments)

I am not an expert regarding B4 but I know a bit about it, I am in the hospital now but by all means ring me.

Regards.

Paul Hanson  
Senior Building Control Surveyor (Fire Regulations)  
Royal Borough of Kensington and Chelsea

T.

M.

F.

W. [www.rbkc.gov.uk/buildingcontrol](http://www.rbkc.gov.uk/buildingcontrol)

From: Kuchar, Beverley: CP-Plan: RBKC  
Sent: Wednesday, 14 June, 12:32  
Subject: Cladding  
To: Hanson, Paul: CP-Plan: RBKC, Allen, John: CP-Plan: RBKC, Anon, Jose: CP-Plan: RBKC

Do we have any of about the cladding and fires resistance standards. We need this info urgently for the Leader

Get [Outlook for iOS](#)